

Application No. 10/534,350
Response dated December 23, 2008
Office Action mail date: June 24, 2008

Atty. Docket No. 13016/2
PATENT APPLICATION

AMENDMENTS TO THE DRAWINGS

Submitted herewith following this Amendment please find one (1) sheet of replacement drawings in compliance with 37 C.F.R. § 1.84. The Examiner is respectfully requested to acknowledge receipt of this drawing sheet.

REMARKS/ARGUMENTS

Applicants thank the Examiner for allowing claims 1-19. Applicants have provided the foregoing changes responsive to the outstanding Quayle Action, in which the Examiner objected to the specification and to the drawings.

The Abstract is provided on a separate sheet. No new matter has been added.

Element 1/4 has been removed from Figure 4, thus obviating the Examiner's objection to the drawings.

Applicants submit that this Amendment places the application in condition for allowance, and accordingly Applicants earnestly solicit early favorable consideration of this Amendment.

If, in the opinion of the Examiner, an interview would expedite the prosecution of this application, the Examiner is invited to call the undersigned attorney at the telephone number listed below.

The Office is hereby authorized to charge any fees, or credit any overpayments, to Deposit Account No. **11-0600**.

Respectfully submitted,
KENYON & KENYON LLP

Dated: December 23, 2008

By: /Frank L. Bernstein/
Frank L. Bernstein
Reg. No. 31,484

Customer No. **25693**

KENYON & KENYON LLP
333 West San Carlos St., Suite 600
San Jose, CA 95110
Telephone: (408) 975-7500
Facsimile: (408) 975-7501

Attachment: One (1) Replacement Sheets for Figure 4.